Additional File 1:

Gene expression profiling of long-lived dwarf mice:
longevity-associated genes and relationships with diet,
gender and aging

William R. Swindell

This file displays expression response profiles for the top 40 genes most positively associated with IGF-1 induction patterns among all contrasts examined in this study (see Fig. 2 of paper). These genes are listed on pages 2-3 and plotted individually on pages 4-43 of this file. In each plot, the black line represents the IGF-1 induction pattern among contrasts, and the red line represents the pattern associated with a gene that exhibits a closely matching induction pattern. Genes are presented in order of decreasing similarity to the IGF-1 induction pattern. Following appropriate normalization to weight all contrasts equally, similarity was determined based on Euclidean distance between patterns.

Contact: William R. Swindell, wswindel@med.umich.edu

Symbol	Affymetrix ID	Distance
Mup3	101909_f_at	10.228
Es31	99941_at	10.777
Igfals	97987_at	10.843
Keg1	96938_at	13.074
Socs2	99475_at	13.306
Egfr	101842_g_at	13.626
Lifr	104658_at	13.866
C9	104424_at	14.119
Phlda1	160829_at	15.153
Dct	103597_at	16.138
Mup1	101566_f_at	16.545
Mup5	101635_f_at	16.669
Irf6	92440_at	17.046
Mcm10	103553_at	17.12
Fabp2	97889_at	17.225
Trp53inp2	160376_at	17.495
Serpine2	97487_at	17.521
Csad	99184_at	17.593
C730048C13Rik	103702_i_at	18.066
Hsd17b2	101891_at	18.173

Symbol	Affymetrix ID	Distance
Alas2	92768_s_at	18.371
Gpc1	104614_at	18.769
Hsd3b2	101659_at	18.938
Ero1lb	103531_f_at	19.07
Fabp5	160544_at	19.191
Ela1	93783_at	19.195
Serpina3k	92583_at	19.258
Lrg1	97420_at	19.433
Serpina12	160951_at	19.451
ligp1	96764_at	19.509
Zap70	93661_at	19.579
Cyp7b1	92898_at	20.036
Comt	98535_at	20.112
ligp1	103963_f_at	20.285
Orm1	100436_at	20.3
Pfkfb3	160641_at	20.322
Tars	95054_at	20.418
Cfh	101853_f_at	20.537
Mup4	101682_f_at	20.748
Reep5	96115_at	20.753

Mup3

major urinary protein 3

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Es31

Igfals

insulin-like growth factor binding protein, acid labile subunit

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Keg1

kidney expressed gene 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Socs2

suppressor of cytokine signaling 2

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Egfr

Lifr

leukemia inhibitory factor receptor

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

C9

complement component 9

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Phlda1

pleckstrin homology-like domain, family A, member 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Dct

dopachrome tautomerase

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Mup1

major urinary protein 1 /// major urinary protein 2

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Mup5

major urinary protein 5

lrf6

interferon regulatory factor 6

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Mcm10

minichromosome maintenance deficient 10 (*S. cerevisiae*)

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Fabp2

fatty acid binding protein 2, intestinal

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Trp53inp2

tumor protein p53 inducible nuclear protein 2

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Serpine2

serine (or cysteine) proteinase inhibitor, clade E, member 2

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Csad

cysteine sulfinic acid decarboxylase

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

C730048C13Rik

similar to integral membrane transport protein UST1R

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Hsd17b2

hydroxysteroid (17- β) dehydrogenase 2

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Alas2

Gpc1

glypican 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Hsd3b2

hydroxysteroid dehydrogenase-2, deltaδ-3-beta

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Ero11b

Fabp5

fatty acid binding protein 5, epidermal

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Ela1

elastase 1, pancreatic

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Serpina3k

serine (or cysteine) proteinase inhibitor, clade A, member 3K

Lrg1

leucine-rich alpha-2-glycoprotein 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Serpina12

ligp1

Zap70

zeta-chain (TCR) associated protein kinase

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Cyp7b1

cytochrome P450, family 7, subfamily b, polypeptide 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Comt

catechol-O-methyltransferase

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

ligp1

Orm1

orosomuroid 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Pfkfb3

6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Tars

Cfh

complement component factor h

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast

Mup4

major urinary protein 4

Reep5

deleted in polyposis 1

log(Fold Change)

6
4
2
0
-2
-4
-6

snell5
snell25
ames5A
ames13A
ames25A
ames3B
ames6B
ames12B
ames24B
little3
little6
little12
little24
GHR-KO
GHR-K11
GHR-K12
B6
gender
cr(2,6)
cr(2,6)df
cr(20,22)
cr(5,22)
met
met(db/db)
glip
gm
ros
soy
lowfat1
lowfat2
age

Contrast