

Additional file 1 - Table of samples

Fast and accurate mutation detection in whole genome sequences of multiple isogenic samples with IsoMut

O. Pipek, D. Ribli, J. Molnár, Á. Póti, M. Krzystanek, A. Bodor, G. E. Tusnády, Z. Szallasi, I. Csabai, and D. Szüts

Mutant 1		WT	
sample	treatment	treatment	sample
S16	starting clone	starting clone	S01
S17	strong mutagenic treatment	strong mutagenic treatment	S02
S18	strong mutagenic treatment	strong mutagenic treatment	S03
S19	strong mutagenic treatment	strong mutagenic treatment	S04
S20	weak mutagenic treatment	weak mutagenic treatment	S05
S21	weak mutagenic treatment	weak mutagenic treatment	S06
S22	weak mutagenic treatment	weak mutagenic treatment	S07
S23	strong mutagenic treatment	strong mutagenic treatment	S08
S24	strong mutagenic treatment	strong mutagenic treatment	S09
S25	strong mutagenic treatment	strong mutagenic treatment	S10
S26	strong mutagenic treatment	strong mutagenic treatment	S11
S27	identical control	identical control	S12
S28	strong mutagenic treatment	strong mutagenic treatment	S13
S29	strong mutagenic treatment	strong mutagenic treatment	S14
S30	identical control	identical control	S15

bold: samples necessary for testing