

Trends in educational inequalities in obesity in 15 European countries between 1990 and 2010

Kristina Hoffmann^{1,2}, Rianne De Gelder¹, Yannan Hu¹, Matthias Bopp³, Jozsef Vitrai⁴, Eero Lahelma⁵, Gwenn Menvielle⁶, Paula Santana⁷, Enrique Regidor⁸, Ola Ekholm⁹, Johan P. Mackenbach¹, Frank J. van Lenthe¹

¹Department of Public Health, Erasmus MC, University Medical Center Rotterdam, The Netherlands

²Mannheim Institute of Public Health, Social and Preventive Medicine, Medical Faculty Mannheim, Heidelberg University, Mannheim, Germany

³Epidemiology, Biostatistics and Prevention Institute, University of Zürich, Switzerland

⁴National Institute for Health Development, Budapest, Hungary

⁵Department of Public Health, University of Helsinki, Helsinki, Finland

⁶Sorbonne Universités, INSERM, Institut Pierre Louis d'Epidémiologie et de Santé Publique (IPLESP UMRS 1136), Paris, France

⁷Departamento de Geografia, Centro de Estudos de Geografia e de Ordenamento do Território (CEGOT), Colégio de S. Jerónimo, Universidade de Coimbra, Coimbra, Portugal

⁸Department of Preventive Medicine and Public Health, Universidad Complutense de Madrid, Madrid, Spain

⁹National Institute of Public Health, Copenhagen, Denmark

Supplement 3

Supplement 3 contains the results for education-related trends in slope index of inequality SII and relative index of inequality RII for obesity for both men and women. All analyses were performed according to the method section described in the main manuscript.

Trends in Slope Index of Inequality (SII) in obesity prevalence in males




Figure S6a: Forest plot of meta-regression slopes for Slope Index of Inequality (SII) in prevalence of obesity (BMI ≥ 30 kg/m²) in men. ES, effect estimator (% points change of obesity prevalence per year); CI, confidence interval.

Trends in Slope Index of Inequality (SII) in obesity prevalence in females




Figure S6b: Forest plot of meta-regression slopes for Slope Index of Inequality (SII) in prevalence of obesity (BMI ≥ 30 kg/m²) in women. ES, effect estimator (% points change of obesity prevalence per year); CI, confidence interval.

Trends in Relative Index of Inequality (RII) in obesity prevalence in males




Figure S7a: Forest plot of meta-regression slopes for Relative Index of Inequality (RII) in prevalence of obesity (BMI ≥ 30 kg/m²) in men. ES, effect estimator (% points change of obesity prevalence per year); CI, confidence interval.

Trends in Relative Index of Inequality (RII) in obesity prevalence in females




Figure S7b: Forest plot of meta-regression slopes for Relative Index of Inequality (RII) in prevalence of obesity (BMI ≥ 30 kg/m²) in women. ES, effect estimator (% points change of obesity prevalence per year); CI, confidence interval.